

REFERENCES

Chapter 2

1. Merah NA, Wong DT, Ffoulkes-Crabbe DJ, Kushimo OT, Bode CO. Modified Mallampati test, thyromental distance and inter-incisor gap are the best predictors of difficult laryngoscopy in West Africans. *Can J Anesth.* 2005;52(3):291–296. PMID 15753502
2. Tse JC, Rimm EB, Hussain A. Predicting difficult endotracheal intubation in surgical patients scheduled for general anesthesia: a prospective blind study. *Anesth Analg.* 1995;81(2):254–258. PMID 7618711
3. Cattano D, Panicucci E, Paolicchi A, Forfori F, Giunta F, Hagberg C. Risk factors assessment of the difficult airway: an Italian survey of 1956 patients. *Anesth Analg.* 2004;99(6):1774–1779. PMID 15562070
4. Baker PA, Depuydt A, Thompson JM. Thyromental distance measurement—fingers don't rule. *Anesthesia.* 2009;64(8):878–882. PMID 19604192
5. Al Ramadhani S, Mohamed LA, Rocke DA, Gouws E. Sternomental distance as the sole predictor of difficult laryngoscopy in obstetric anaesthesia. *Br J Anaesth.* 1996;77(3):312–316. PMID 8949801
6. Gonzalez H, Minville V, Delanoue K, Mazerolles M, Concina D, Fourcade O. The importance of increased neck circumference to intubation difficulties in obese patients. *Anesth Analg.* 2008;106(4):1132–1136. PMID 18349184
7. Yamamoto K, Tsubokawa T, Shibata K, Ohmura S, Nitta S, Kobayashi T. Predicting difficult intubation with indirect laryngoscopy. *Anesthesiology.* 1997;86(2):316–321. PMID 9054250
8. Myneni N, O'Leary AM, Sandison M, Roberts K. Evaluation of the upper lip bite test in predicting difficult laryngoscopy. *J Clin Anesth.* 2010;22(3):174–178. PMID 20400002
9. Wilson ME, Spiegelhalter D, Robertson JA, Lesser P. Predicting difficult intubation. *Br J Anaesth.* 1988;61(2):211–216. PMID 3415893
10. Arné J, Descoins P, Fuscuardi J, et al. Preoperative assessment for difficult intubation in general and ENT surgery: predictive value of a clinical multivariate risk index. *Br J Anaesth.* 1998;80(2):140–146. PMID 9602574
11. L'Hermite J, Nouvellon E, Cuvillon P, Fabbro-Peray P, Langeron A, Ripart J. The simplified predictive intubation difficulty score: a new weighted score for difficult airway assessment. *Eur J Anesth.* 2009;26(12):1003–1009. PMID 19593145
12. Shiga T, Wajima Z, Inoue T, Sakamoto A. Predicting difficult intubation in apparently normal patients: a meta-analysis of bedside screening test performance. *Anesthesiology.* 2005;103(2):429–437. PMID 16052126
13. Kheterpal S, Martin L, Shanks AM, Tremper KK. Prediction and outcomes of impossible mask ventilation: a review of 50,000 anesthetics. *Anesthesiology.* 2009;110(4):891–897. PMID 19293691