

REFERENCES

Chapter 23

1. Wikkelsoe AJ, Afshari A, Wetterslev J, Brok J, Moeller AM. Monitoring patients at risk of massive transfusion with thrombelastography or rhomboelastometry: a systematic review. *Acta Anaesthesiol Scand*. 2011 Nov;55(10):1174–1189. PMID 22092122
2. Carroll RC, Craft RM, Langdon RJ, et al. Early evaluation of acute traumatic coagulopathy by thrombelastography. *Transl Res*. 2009 Jul;154(1):34–39. PMID 19524872
3. Shore-Lesserson L, Manspeizer HE, DePerio M, Francis S, Vela-Cantos F, Ergin MA. Thromboelastography-guided transfusion algorithm reduces transfusions in complex cardiac surgery. *Anesth Analg*. 1999 Feb;88(2):312–319. PMID 9972747
4. Jackson GN, Ashpole KJ, Yentis SM. The TEG vs the ROTEM thromboelastography/thromboelastometry systems. *Anaesthesia*. 2009 Feb;64(2):212–215. PMID 19143701
5. Schochl H, Nienaber U, Hofer G, et al. Goal-directed coagulation management of major trauma patients using thromboelastometry (ROTEM)-guided administration of fibrinogen concentrate and prothrombin complex concentrate. *Crit Care*. 2010;14(2):R55. PMID 20374650
6. Ansell J, Hirsh J, Hylek E, Jacobson A, Crowther M, Palareti G. Pharmacology and management of the vitamin K antagonists: American College of Chest Physicians evidence-based clinical practice guidelines (8th ed.). *Chest*. 2008 Jun;133(6 suppl):160S–198S. PMID 18574265
7. Lisman T, Bakhtiari K, Pereboom IT, Hendriks HG, Meijers JC, Porte RJ. Normal to increased thrombin generation in patients undergoing liver transplantation despite prolonged conventional coagulation tests. *J Hepatol*. 2010 Mar;52(3):355–361. PMID 20132999
8. Dzik WH, Kirkley SA. Citrate toxicity during massive blood transfusion. *Transfus Med Rev*. 1988 Jun;2(2):76–94. PMID 2980082
9. Borgman MA, Spinella PC, Perkins JG, et al. The ratio of blood products transfused affects mortality in patients receiving massive transfusions at a combat support hospital. *J Trauma*. 2007 Oct;63(4):805–813. PMID 18090009
10. Holcomb JB, Wade CE, Michalek JE, et al. Increased plasma and platelet to red blood cell ratios improves outcome in 466 massively transfused civilian trauma patients. *Ann Surg*. 2008 Sept;248(3):447–458. PMID 18791365
11. Taylor FB Jr, Toh CH, Hoots WK, Wada H, Levi M. Towards definition, clinical and laboratory criteria, and a scoring system for disseminated intravascular coagulation. *Thromb Haemost*. 2001 Nov;86(5):1327–1330. PMID 11816725
12. Ogawa S, Szlam F, Ohnishi T, Molinaro RJ, Hosokawa K, Tanaka KA. A comparative study of prothrombin complex concentrates and fresh-frozen plasma for warfarin reversal under static and flow conditions. *Thromb Haemost*. 2011 Dec;106(6):1215–1223. PMID 22071880