

REFERENCES

Chapter 31

1. Osserman KE, Genkins G. Studies in myasthenia gravis: review of a twenty-year experience in over 1200 patients. *Mt Sinai J Med.* 1971 Nov-Dec;38(6):497–537. PMID 49411403
2. Saperstein DS, Barohn RJ. Management of myasthenia gravis. *Semin Neurol.* 2004 Mar;24(1):41–48. PMID 15229791
3. Dillon FX. Anesthesia issues in the perioperative management of myasthenia gravis. *Semin Neurol.* 2004 Mar;24(1):83–94. PMID 15229795
4. Lorimer M, Hall R. Remifentanyl and propofol total intravenous anaesthesia for thymectomy in myasthenia gravis. *Anaesth Intensive Care.* 1998 Apr;26(2):210–212. PMID 95644405
5. Fodale V, Pratico C, Piana F, et al. Propofol and remifentanyl without muscle relaxants in a patient with myasthenia gravis for emergency surgery. *Can J Anaesth.* 2003 Dec;50(10):1083–1084. PMID 14656803
6. Mekis D, Kamenik M. Remifentanyl and high thoracic epidural anaesthesia: a successful combination for patients with myasthenia gravis undergoing transsternal thymectomy. *Eur J Anaesth.* 2005 May;22(5):397–399. PMID 15918394