

REFERENCES

Chapter 104

1. Furie KL, et. al. Guidelines for the prevention of stroke in patients with stroke or transient ischemic attack: a guideline for healthcare professionals from the American Heart Association. AHA Stroke Council. *Stroke*. 2011 Jan;42(1): 227–276. PMID 20966421
2. GALA Trial Collaborative Group, Lewis SC, et. al. General anaesthesia versus local anaesthesia for carotid surgery (GALA): a multicentre, randomised controlled trial. GALA Trial Collaborative Group. *Lancet*. 2008 Dec;372(9656):2132–2142. PMID 19041130
3. Aburahma AF, et al. Shunting during carotid endarterectomy. *J Vasc Surg*. 2011 Nov;54(5):1502–1510. PMID 21906905
4. Naylor AR. Known knowns, known unknowns and unknown unknowns: a 2010 update on carotid artery disease. *Surgeon*. 2010 Apr;8:79–86. PMID 20303888
5. Stoneham MD, Thompson JP. Arterial pressure management and carotid endarterectomy. *Br J Anaesth*. 2009 Apr;102(4):442–452. PMID 19233880
6. Pennekamp CW, et al. The potential benefits and the role of cerebral monitoring in carotid endarterectomy. *Curr Opin Anaesthesiol*. 2011 Dec;24(6):693–697. PMID 21971393
7. Badruddin A, et al. Neurocritical care of a reperfused brain. *Curr Neurol Neurosci Rep*. 2011 Feb;11:104–110. PMID 21042886
8. Mocco J, et al. Predictors of neurocognitive decline after carotid endarterectomy. *Neurosurgery*. 2006 May;58(5):844–850. PMID 16639318
9. Anastasian ZH, et al. The effect of antihypertensive class on intraoperative pressor requirements during carotid endarterectomy. *Anesth Analg*. 2011 Jun;112(6):1452–1460. PMID 21467553