

## REFERENCES

### Chapter 119

1. Di Gregorio G, Neal JM, Rosenquist RW, et al. Clinical presentation of local anesthetic systemic toxicity. A review of published cases, 1979 to 2009. *Reg Anesth Pain Med.* 2010 Mar-Apr;35(2):181–187. PMID 20301824
2. Esen E, Ustun Y, Balcioglu YO, et al. Evaluation of patient-controlled remifentanyl application in third molar surgery. *J Oral Maxillofac Surg.* 2005 Apr;63(4):457–463. PMID 15789316
3. Ghouri AF, Taylor E, White PF. Patient-controlled drug administration during local anesthesia: a comparison of midazolam, propofol and alfentanil. *J Clin Anesth.* 1992 Nov-Dec;4(6):476–479. PMID 1457116
4. Horlocker T, Wedel DJ, Rowlingson JC, et al. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Management evidence-based guidelines (3rd ed.). *Reg Anesth Pain Med.* 2010 Jan-Feb;35(1):64–101. PMID 20052816
5. LeBlond RF, DeGowin RL, Brown DD, eds. *DeGowin's Diagnostic Examination.* 9th ed. New York: McGraw-Hill; 2011.
6. Liu SS, Ngeow J, John RS. Evidence basis for ultrasound-guided block characteristics: onset, quality, and duration. *Reg Anesth Pain Med.* 2010 Mar-Apr;35:S26–S35. PMID 20216022
7. Neal JM, Bernardis CM, Butterworth JF, et al. ASRA practice advisory on local anesthetic systemic toxicity. *Reg Anesth Pain Med.* 2010 Mar-Apr;35:152–161. PMID 20216033
8. O'Grady NP, Alexander M, Dellinger EP, et al. Guidelines for the prevention of intravascular catheter-related infections. Centers for Disease Control and Prevention. *MMWR Recomm Rep.* 2002 Aug;51(RR-10):1–29. PMID 12233868
9. Osborne GA, Rudkin GE, Jarvis DA, et al. Intra-operative patient-controlled sedation and patient attitude to control. A crossover comparison of patient preference for patient-controlled propofol and propofol by continuous infusion. *Anaesthesia.* 1994 Apr;49:287–292. PMID 8179132