

REFERENCES

Chapter 129

1. Sorenson EJ. Neurological injuries associated with regional anesthesia. *Reg Anesth Pain Med.* 2008 Sep-Oct;33:442–448. PMID 18774513
2. Jacob AK, Mantilla CB, Sviggum HP, Schroeder DR, Pagnano MW, Hebl JR. Perioperative nerve injury after total hip arthroplasty: regional anesthesia risk during a 20-year cohort study. *Anesthesiology.* 2011 Dec;115(6):1172–1178. PMID 21934486
3. Jacob AK, Mantilla CB, Sviggum HP, Schroeder DR, Pagnano MW, Hebl JR. Perioperative nerve injury after total knee arthroplasty: regional anesthesia risk during a 20-year cohort study. *Anesthesiology.* 2011 Feb;114(2):311–317. PMID 21239974
4. Brull R, McCartney CJ, Chan VW, El-Beheiry H. Neurological complications after regional anesthesia: contemporary estimates of risk. *Anesth Analg.* 2007 Apr;104(4):965–974. PMID 17377115
5. Hebl JR, Horlocker TT, Kopp SL, Schroeder DR. Neuraxial blockade in patients with preexisting spinal stenosis, lumbar disk disease, or prior spine surgery: efficacy and neurologic complications. *Anesth Analg.* 2010 Dec;111(6):1511–1519. PMID 20861423
6. Hebl JR. Ultrasound-guided regional anesthesia and the prevention of neurologic injury: fact or fiction? *Anesthesiology.* 2008 Feb;108(2):186–188. PMID 18212562
7. Hebl JR, Kopp SL, Schroeder DR, Horlocker TT. Neurologic complications after neuraxial anesthesia or analgesia in patients with preexisting peripheral sensorimotor neuropathy or diabetic polyneuropathy. *Anesth Analg.* 2006 Nov;103(5):1294–1299. PMID 17056972