

REFERENCES

Chapter 153

1. Marret E, Remy C, Bonnet F. Meta-analysis of epidural analgesia versus parenteral opioid analgesia after colorectal surgery. *Br J Surg*. 2007 Jun;94(6):665–673. PMID 17514701
2. Meylan N, Elia N, Lysakowski C, Tramer MR. Benefit and risk of intrathecal morphine without local anaesthetic in patients undergoing major surgery: meta-analysis of randomized trials. *Br J Anaesth*. 2009 Feb;102:156–167. PMID 19151046
3. Beaussier M, ElAyoubi H, Schiffer E, et al. Continuous preperitoneal infusion of ropivacaine provides effective analgesia and accelerates recovery after colorectal surgery: a randomized, double-blind, placebo-controlled study. *Anesthesiology*. 2007 Sep;107(3):461–468. PMID 17721249
4. Finnerty O, Carney J, McDonnell JG. Trunk blocks for abdominal surgery. *Anaesthesia*. 2010 Apr;65(suppl 1):76–83. PMID 20377549
5. Scott NB. Wound infiltration for surgery. *Anaesthesia*. 2010 Apr;65(suppl 1):67–75. PMID 20377548
6. Carli F, Kehlet H, Baldini G, et al. Evidence basis for regional anesthesia in multidisciplinary fast-track surgical care pathways. *Reg Anesth Pain Med*. 2011 Jan-Feb;36(1):63–72. PMID 22002193