

## REFERENCES

### Chapter 155

1. Ismail AR, Anthony T, Mordant DJ, MacLean H. Regional nerve block of the upper eyelid in oculoplastic surgery. *Eur J Ophthalmol*. 2006 Jul-Aug;16(4):509–513. PMID 16952086
2. Mayer MN, Bennaceur S, Barrier G, Couly G. Infra-orbital nerve block in early primary cheiloplasty. *Rev Stomatol Chir Maxillofac*. 1997 Oct;98(4):246–247. PMID 9411698
3. Agthong S, Huanmanop T, Chentanez V. Anatomical variations of the supraorbital, infraorbital, and mental foramina related to gender and side. *J Oral Maxillofac Surg*. 2005 Jun;63(6):800–804. PMID 15944977
4. Beer GM, Putz R, Mager K, Schumacher M, Keil W. Variations of the frontal exit of the supraorbital nerve: an anatomic study. *Plast Reconstr Surg*. 1998 Aug;102(2):334–341. PMID 97033067
5. Tsui BC. Ultrasound imaging to localize foramina for superficial trigeminal nerve block. *Can J Anaesth*. 2009 Sep;56(9):704–706. PMID 19504162
6. Friedrich RE, Heiland M, Bartel-Friedrich S. Potentials of ultrasound in the diagnosis of midfacial fractures\*. *Clin Oral Investig*. 2003 Dec;7(4):226–229. PMID 14648259