

## REFERENCES

### Chapter 178

1. Bernards CM, Hadzic A, Suresh S, Neal JM. Regional anesthesia in anesthetized or heavily sedated patients. *Reg Anesth Pain Med.* 2008 Sep-Oct;33(5):449–460. PMID 18774514
2. Ivani G, Mossetti V. Regional anesthesia for postoperative pain control in children: focus on continuous central and perineural infusions. *Paediatr Drugs.* 2008;10(2):107–114. PMID 18345720
3. Dadure C, Capdevila X. Continuous peripheral nerve blocks in children. *Best Pract Res Clin Anaesthesiol.* 2005 Jun;19(2):309–321. PMID 15966500
4. Lönnqvist P-A, Morton NS, Ross AK. Consent issues and pediatric regional anesthesia. *Paediatr Anaesth.* 2009 Oct;19(10):958–960. PMID 19656318
5. Curatolo M. Adding regional analgesia to general anaesthesia: increase of risk or improved outcome? *Eur J Anaesthesiol.* 2010 Jul;27(7):586–591. PMID 20404731
6. Mazoit J-X. Pharmacokinetic/pharmacodynamic modeling of anesthetics in children: therapeutic implications. *Paediatr Drugs.* 2006;8(3):139–150. PMID 16774294
7. Berde C. Local anesthetics in infants and children: an update. *Paediatr Anaesth.* 2004 May;14(5):387–393. PMID 15086849
8. Bösenberg AT, Thomas J, Cronje L, et al. Pharmacokinetics and efficacy of ropivacaine for continuous epidural infusion in neonates and infants. *Paediatr Anaesth.* 2005 Sep;15(9):739–749. PMID 16101704
9. Dalens B. Some current controversies in paediatric regional anaesthesia. *Curr Opin Anaesthesiol.* 2006 Jun;19(3):301–308. PMID 16735814
10. Mazoit J-X, Dalens BJ. Pharmacokinetics of local anaesthetics in infants and children. *Clin Pharmacokinet.* 2004;43(1):17–32. PMID 14715049
11. Ansermino M, Basu R, Vandebek C, Montgomery C. Nonopioid additives to local anaesthetics for caudal blockade in children: a systematic review. *Paediatr Anaesth.* 2003 Sep;13(7):561–573. PMID 12950855
12. Ganesh A, Kim A, Casale P, Cucchiario G. Low-dose intrathecal morphine for postoperative analgesia in children. *Anesth Anal.* 2007 Feb;104(2):271–276. PMID 17242079
13. Kart T. et. al. Recommended use of morphine in neonates, infants and children based on a literature review: part 1—pharmacokinetics. *Paediatr Anaesth.* 1997;7(1):5–11. PMID 9041568
14. Shah S, Gopalakrishnan S, Apuya J, Shah S, Martin T. Use of Intralipid in an infant with impending cardiovascular collapse due to local anesthetic toxicity. *J Anesth.* 2009;23(3):439–441. PMID 19685131
15. [www.lipidrescue.org](http://www.lipidrescue.org).
16. Suresh S, Voronov P. Head and neck blocks in children: an anatomical and procedural review. *Paediatr Anaesth.* 2006 Sep;16(9):910–918. PMID 16918651
17. Voronov P, Suresh S. Head and neck blocks in children. *Curr Opin Anaesthesiol.* 2008 Jun;21(3):317–322. PMID 18458548
18. Polaner DM, Drescher J. Pediatric regional anesthesia: what is the current safety record? *Paediatr Anaesth.* 2011 Jul;21(7):737–742. PMID 21199134
19. Ecoffey C, Lacroix F, Giaufré E, Orliaguet G, Courrèges P. Epidemiology and morbidity of regional anesthesia in children: a follow-up one-year prospective survey of the French-Language Society of Paediatric Anaesthesiologists (ADARPEF). *Paediatr Anaesth.* 2010 Dec;20(12):1061–1069. PMID 21199114

20. Llewellyn N, Moriarty A. The national pediatric epidural audit. *Paediatr Anesth.* 2007 Jun;17(6):520–533. PMID 17498013
21. Kart T, Christup L, Rasmussen M. Recommended use of morphine in neonates, infants and children based on a literature review: part 2—clinical use. *Paediatr Anaesth.* 1997;7:93–101. PMID 9188108